

Small is Beautiful: the design of Lua

Roberto Ierusalimschy
PUC-Rio



Language design

- many tradeoffs
 - similar to any other design process
- designers seldom talk about them
 - what a language is not good for



Typical tradeoffs

- security x flexibility
 - static verification
- readability x conciseness
- performance x abstraction
 - specially in an interpreted language

A special tradeoff

- simplicity x *almost everything else*
- several other conflicts can be solved by adding complexity
 - smarter algorithms
 - multiple mechanisms ("There's more than one way to do it")



Lua

- a scripting language
- simplicity as one of its main goals
 - small size too
- "real" language
 - many users and uses
- tricky balance between "as simple as possible" x "but not simpler"

Lua uses

- niche in games
 - "Is Lua the ultimate game scripting language?" (GDC 2010)
- embedded devices
 - cameras (Canon), keyboards (Logitech), printers (Olivetty & Océ)
- scripting applications
 - Wireshark, Snort, Nmap




Lua main goals

- simplicity/small size
- portability
- "embedability"
 - scripting!

Small size

- source lines of code (proxy for complexity)





Portability

- runs on most machines we ever heard of
 - Symbian, DS, PSP, PS3 (PPE & SPE), Android, iPhone, etc.
- written in $\text{ANSI C} \cap \text{ANSI C++}$
 - avoids `#ifdefs`
 - avoids dark corners of the standard

Embedability

- provided as a library
- simple API
 - simple types
 - low-level operations
 - stack model
- embedded in C/C++, Java, Fortran, C#, Perl, Ruby, Python, Ada, etc.

An overview of Lua

- Conventional syntax
 - somewhat verbose

```
function fact (n)
  if n == 0 then
    return 1
  else
    return n * fact(n - 1)
  end
end
```

```
function fact (n)
  local f = 1
  for i=2,n do
    f = f * i
  end
  return f
end
```



An overview of Lua

- semantically quite similar to Scheme
- dynamically typed
- functions are first-class values with static scoping

BTW...

```
function fact (n)
  local f = 1
  for i=2,n do f = f * i; end
  return f
end
```

↓ syntactic sugar

```
fact = function (n)
  local f = 1
  for i=2,n do f = f * i; end
  return f
end
```



An overview of Lua

- proper tail recursive
- Lua does not have full continuations, but have one-shot continuations
 - in the form of coroutines

Design



- tables
- coroutines
- the Lua-C API



Tables

- associative arrays
 - any value as key
- only data-structure mechanism in Lua



Why tables

- VDM: maps, sequences, and (finite) sets
 - collections
- any one can represent the others
- only maps represent the others with simple *and* efficient code

Data structures

- tables implement most data structures in a simple and efficient way
- records: syntactical sugar `t.x` for `t["x"]`:

```
t = {}  
t.x = 10  
t.y = 20  
print(t.x, t.y)  
print(t["x"], t["y"])
```

Data Structures

- arrays: integers as indices

```
a = {}  
for i=1,n do a[i] = 0 end
```

- sets: elements as indices

```
t = {}  
t[x] = true      -- t = t U {x}  
if t[x] then    -- x ∈ t?  
    ...
```

Other constructions

- tables also implement modules
 - `print(math.sin(3))`
- tables also implement objects
 - with the help of a delegation mechanism and some syntactic sugar

Objects


- first-class functions + tables \approx objects
- syntactical sugar for methods
 - handles self

`a:foo(x)`



`a.foo(a,x)`

```
function a:foo (x)
  ...
end
```




```
a.foo = function (self,x)
  ...
end
```

Delegation

- field-access delegation (instead of method-call delegation)
- when a delegates to b, any field absent in a is got from b
 - $a[k]$ becomes $(a[k] \text{ or } b[k])$
- allows prototype-based and class-based objects
- allows single inheritance

Delegation at work



Tables: problems

- the implementation of a concept with tables is not as good as a primitive implementation
 - access control in objects
 - length in sequences
- different implementations confound programmers
 - DIY object systems



Coroutines

- old and well-established concept, but with several variations
- variations not equivalent
 - several languages implement restricted forms of coroutines that are not equivalent to one-shot continuations

Coroutines in Lua

```
c = coroutine.create(function ()  
    print(1)  
    coroutine.yield()  
    print(2)  
end)  
  
coroutine.resume(c) --> 1  
coroutine.resume(c) --> 2
```

Coroutines in Lua

- first-class values
 - in particular, we may invoke a coroutine from any point in a program
- *stackful*
 - a coroutine can transfer control from inside any number of function calls
- asymmetrical
 - different commands to resume and to yield

Coroutines in Lua

- simple and efficient implementation
 - the easy part of multithreading
- first class + stackful = complete coroutines
 - equivalent to one-shot continuations
 - we can implement call/cc
- coroutines present one-shot continuations in a format that is more familiar to most programmers

Coroutines x continuations

- most uses of continuations can be coded with coroutines
 - "who has the main loop" problem
 - producer-consumer
 - extending x embedding
 - iterators x generators
 - the same-fringe problem
 - collaborative multithreading

Coroutines x continuations

- multi-shot continuations are more expressive than coroutines
- some techniques need code reorganization to be solved with coroutines or one-shot continuations
 - oracle functions



The Lua-C API

- Lua is a library
 - formally, an ADT (a quite complex one)
 - 79 functions
- the entire language actually describes the argument to one function of that library: **load**
 - **load** gets a stream with source code and returns a function that is semantically equivalent to that code

The Lua-C API

- most APIs use some kind of "Value" type in C
 - **PyObject** (Python), **jobject** (JNI)
- problem: garbage collection
 - Python: explicit manipulation of reference counts
 - JNI: local and global references
- too easy to create dangling references and memory leaks



The Lua-C API

- Lua API has no "LuaObject" type
- a Lua object lives only inside Lua
- two structures keep objects used by C:
 - the stack
 - the registry

The Stack

- keep all Lua objects in use by a C function
- *injection functions*
 - convert a C value into a Lua value
 - push the result into the stack
- *projection functions*
 - convert a Lua value into a C value
 - get the Lua value from anywhere in the stack

The Stack

- example: calling a Lua function from C
 -

```
/* calling f("hello", 4.5) */  
lua_getglobal(L, "f");  
lua_pushstring(L, "hello");  
lua_pushnumber(L, 4.5);  
lua_call(L, 2, 1);  
if (lua_isnumber(L, -1))  
    printf("%f\n", lua_getnumber(L, -1));
```

The Stack

- example: calling a Lua function from C
 - push function

```
/* calling f("hello", 4.5) */  
lua_getglobal(L, "f");  
lua_pushstring(L, "hello");  
lua_pushnumber(L, 4.5);  
lua_call(L, 2, 1);  
if (lua_isnumber(L, -1))  
    printf("%f\n", lua_getnumber(L, -1));
```

The Stack

- example: calling a Lua function from C
 - push function, push arguments,

```
/* calling f("hello", 4.5) */  
lua_getglobal(L, "f");  
lua_pushstring(L, "hello");  
lua_pushnumber(L, 4.5);  
lua_call(L, 2, 1);  
if (lua_isnumber(L, -1))  
    printf("%f\n", lua_getnumber(L, -1));
```

The Stack

- example: calling a Lua function from C
 - push function, push arguments, do the call

```
/* calling f("hello", 4.5) */  
lua_getglobal(L, "f");  
lua_pushstring(L, "hello");  
lua_pushnumber(L, 4.5);  
lua_call(L, 2, 1);  
if (lua_isnumber(L, -1))  
    printf("%f\n", lua_getnumber(L, -1));
```

The Stack

- example: calling a Lua function from C
 - push function, push arguments, do the call, get result from the stack

```
/* calling f("hello", 4.5) */  
lua_getglobal(L, "f");  
lua_pushstring(L, "hello");  
lua_pushnumber(L, 4.5);  
lua_call(L, 2, 1);  
if (lua_isnumber(L, -1))  
    printf("%f\n", lua_getnumber(L, -1));
```

The Stack

- example: calling a C function from Lua
 -

```
static int l_sqrt (lua_State *L) {  
    double n = luaL_checknumber(L, 1);  
    lua_pushnumber(L, sqrt(n));  
    return 1; /* number of results */  
}
```


The Stack

- example: calling a C function from Lua
 - get arguments from the stack

```
static int l_sqrt (lua_State *L) {  
    double n = luaL_checknumber(L, 1);  
    lua_pushnumber(L, sqrt(n));  
    return 1; /* number of results */  
}
```

The Stack

- example: calling a C function from Lua
 - get arguments from the stack, do computation

```
static int l_sqrt (lua_State *L) {  
    double n = luaL_checknumber(L, 1);  
    lua_pushnumber(L, sqrt(n));  
    return 1; /* number of results */  
}
```

The Stack

- example: calling a C function from Lua
 - get arguments from the stack, do computation, push arguments into the stack

```
static int l_sqrt (lua_State *L) {  
    double n = luaL_checknumber(L, 1);  
    lua_pushnumber(L, sqrt(n));  
    return 1;    /* number of results */  
}
```

The Registry

- sometimes, a reference to a Lua object must outlast a C function
 - `NewGlobalRef` in the JNI
- the *registry* is a regular Lua table always accessible by the API
 - no new concepts
 - to create a new "global reference", store the Lua object at a unique key in the registry and keeps the key

The Lua-C API: problems

- too low level
 - some operations need too many calls
- stack-oriented programming sometimes is confusing
 - what is where
- no direct mapping of complex types
 - may be slow for large values



Conclusions

- any language design involves conflicting goals
- designers must solve conflicts
 - consciously or not
- to get simplicity we must give something
 - performance, easy of use, particular features or libraries,

Conclusions

- simplicity is not an absolute goal
- it must be pursued incessantly as the language evolve
- it is much easier to add a feature than to remove one
 - start simple, grow as needed
- it is very hard to anticipate all implications of a new feature
 - clash with future features



Conclusions

- "Mechanisms instead of policies"
 - e.g., delegation
 - effective way to avoid tough decisions
 - this itself is a decision...

www.Mcours.com
Site N°1 des Cours et Exercices Email: contact@mcours.com



www.lua.org